Basel H-91—30,000—4-11-46.

(194 7) Department.

SERIES.

G.O. NO. 3544 P.H

28

Dated the 4th October 47

[Despatch Abstract.]

KARKAL PANCHAYAT - Inclusion in the Compendium - Orders passed.

GOVERNMENT OF MADRAS.

Scott. II-25.

E+PH (1950) Department.

5
18/5D/37
closed
CS
Supdt

~~Endorsement~~
~~D.O.~~
Memorandum
~~Lodged~~

No. 10178/504-W3,PH

Dated 17-2 1950

FURTHER PAPERS.

Department.	Number.	Series.	Date.

SANITARY ENGINEER TO GOVT MADRAS
5 OCT 1949
11749

Manapad,
Tiruchendur Taluk
1st October 1949.

To
The Hon'ble Dr.T.S.S.Rajan
Minister for Health, Government of Madras,
S A M P L E, T I R U C H E N D U R

Honoured Sir, Sub: PROVISION OF WATER SERVICE TO MANAPAD.

We the residents of the village of Manapad in Tiruchendur Taluk beg respectfully to shew:-

While appreciating your Honour's activities for the improvement of health in rural areas, chiefly by implementing WATER SCHEMES, it is gratifying to note that your Honour's present visit to our Taluk is in connexion with the erection of an aqueduct at Athoor for the supply of water to the surrounding villages. We are informed that plans are passed for the supply of water to the village of Alanthalai, a distance of nearly six miles from ours.

The village of Manapad possesses most amenities- the embodiment of a town:- A Post and Telegraph Office., A High Schoo for Boys, A Middle School for Girls, Two Primary Schools, A Co-operative Bank, A Co-operative Stores, A Public Library, A Commemora tive Hall and Stage, A Clock and Radio Tower, An Hospital, the "VICTORIA HOSPITAL", which besides its Out-patient Department is als a first rate Lying-in-home and not in least magnificient Edifices for the worship of the Creator, which includes an historic Shrine of pilgrimage. No wonder that Mr Pate in his "Gazetteer of Tinnevelly" published nearly thirty years ago has described Manapad as " the mos striking village of the District" . Nevertheless of this approbatior due no doubt to the general apperance and to the existence of Insti-tutions of public utility, yet, the maximum benefits from these bene volences are denied to the masses because of the want of proper APPROACH to the village and as well to the need of pure WATER for consumption.

But, thanks to the Hon'ble Mr Bakthavatsalam: the recognition by him of the exigency of harnessing a Road and a Bridge was so apparent when he visited the place, that he had made it possible for the inclusion of the project to link the village wit the Highways. We are now officially assured that the expenditure for the scheme has been accommodated in the budget of the current year.

Even as it impressed your Colleague-in-Cabinet, the Hon'ble Minister for Public Works to recommend for the provision of convenient APPROACH to the village : Your Honour, should you visit our village would be impelled to concede the concession of priority for the availability of an adequate supply of wholesome WATER. However, the existence of varied Institutions and the occasions of the congregation of pilgrims in the village should be sufficient advocacy to recognize the need to provide WATER SUPPLY.

Besides the above advertences, the inevitableness resulting from the restrictive legislations now enforced in Ceylon makes it imperative for the rehabilitation of those that would re-turn to the village. Incidentally, the necessity for the exploration of avenues for industrial initiative arises. Obviously, your Honour would concur with us that pipe bourne water facilitates and at times is essential for the successful operation of industries. As such, we request the courtesy of your Honour to extend your patronage TO PROVIDE OUR VILLAGE WITH WATER SERVICE . For which act of ben consideration, we, our posterity and those of the surrounding vi eager to avail of the benefactions in Manapad shall be ever grat " JAI HIND "

We beg to remain, Honoured Sir,
Yours faithfully

ST. JOSEPH'S MANAPAD. HSCHOOL

N.Wasan Da Cruz
Manager - Headmaster.
St. Joseph's, Manapad.

Witness, St. Joseph's Boys
Manapad

J.X. Poolala Raja

Hilda Mary, Headmistress
St. Mary's Middle School, Manapad.

J. M. Perera (A) Secretary, Meeting 3

VICTORIA HOSPITAL
MANAPAD

Marie Celicia, Sptd.

Manapad Catholic Co-operative Stores Ltd.

Pitchai Vellayan
Secretary Town Congress Committee
Kulasekaranpattinam.

Communication address

Secretary, Town Congress Committee
Manapad

Office of the Sanitary Engineer to Governm
Chepauk, Madras.

No.16749 Aks/49-2 MS dated 12th November 1949.

To

The Chief Engineer, P.W.D.
(General) Madras.

Sir,

Sub: Water supply - Manappad village - Tiruchendur taluk.

Ref: Petition dated 1-10-49 of the Residents of the Manappad village to the Hon'ble Minister for Public Health.

- - - -

Manappad village is about eight miles south of Tiruchendur and forms part of the Kulasekarapatnam Panchayat ~~it~~. The question of a protected water supply to this village can be taken up only with a scheme for that Panchayat. The investigation of a scheme to this Panchayat which is item No.74 can be taken up only in its turn. In any case, it would neither be economical nor feasible to include this Panchayat also in the Composite Scheme of supply to Kayalpatnam etc., villages. An independent scheme either from the Karamanaiyar or Kudiraimoli Teri or other nearer limited sources will have to be examined for developing the required supply.

SG/16-11-49).

For Sanitary Engineer to Government.

Encl: One petition in original.

Office of the Chief Engineer, P.W.D.,
(General), Chepauk, Madras.

Endorsement No. 8972 PWW/49-1 dated 3rd February 1950.

From the Sanitary Engineer No.16749 Wks/49-2 WS dated 12-11-1949.

Subject: Water Supply - Manappad Village - Tiruchchendur Taluk.

Copy forwarded to Government with the petition addressed to Hon'ble Minister for Public Health.

DEPUTY SECRETARY
9 FEB 1950
EDUCATION AND PUBLIC HEALTH
9078

2. As the Manapad Panchayat is 8 miles to the South of Tiruchchendur which is itself at the tail end of the pumping main of the composite scheme for Kayalpatnam, etc., now sanctioned, I agree with the Sanitary Engineer that it would neither be economical nor feasible to include this panchayat within the composite scheme. Besides, the inclusion of this Panchayat within the composite scheme would entail in revision of the sanctioned scheme, thereby retarding the execution of the scheme. I, therefore, recommend that an independent scheme should be proposed for this village. If the finances of the Panchayat can permit taking up of the independent scheme without any assistance from Government the investigation can be sanctioned by Government irrespective of its rank in the compendium.

for Chief Engineer, P.W.D.(General)

To the Secretary to Government,
Education and Public Health Department, Madras.
Encl: 1 petition in original.

pvg/3-2.

9 E+PH(W3)

From the Secretary, Town Congress Committee Manapad, Petition dated 1-10-49

To the C.E, P.W.D ENo 8972 PWW/49-1 dt 3-2-50

Sub:- Water supply - Manapad village - Kulasekarapatnam Panchayat - Tirunelveli Dt.

MEMO:- 10178/50-1-W3, PH(d) 17-2-50

The Secretary, Town Congress Committee, Manapad village is informed that it would neither be economical nor feasible to include Manapad village which forms part of Kulasekarapatnam Panchayat in the Composite scheme for Kayalpatnam and other villages.

The water supply scheme for Manapad Kulasekarapatnam Panchayat

Will be taken up only on its turn in the Compendium of Provincial Requirements of Water supply approved vide G.O. S.S P.H dated 7-1-46. If the P.D.D. Co-operative wants to take up the scheme now it should bear the entire cost of the scheme from its funds without expecting any grant or loan from Govt. Necessary information regarding the Capital cost of the scheme may be obtained from the Sanitary Engineer's Court.

12.2.47 CEO

17-2-47

To

The Secretary, Town Co-operative Committee, Manapad village Tiruchendur taluk Tirunelveli Dt

The E.O., P.D.D. Kulasekarapatnam (Tirunelveli Dt)

The Chief P.H.D.

The Chief E.P.W.D.

S/C

p 5 Gf not found p

SECY.
15 OCT 1946

C.F. 32.

Local Fund Department Received 15/10 Registered

From (Name) Sri. B. Balakrishna Rai
Designation Executive Officer.
Station Karkal Panchayat Board
Karkala, South Kanara

To
The Secretary to Government
Education and Public Health
Department, Madras.

Enclosures: R.C. No. 1138-46 dated 12-9-1946.

Sir,

SOUTH KANARA
DISTRICT BOARD OFFICE
19 SEP 1946
C-16621

Through,
The President,
District Board,
South Kanara,
Mangalore.

Through,
The President,
Panchayat Board Karkala

Sub: Water Supply - Protected water supply scheme - Karkala Panchayat Board - South Kanara District - Investigation of the scheme - Sanction - Requested.

P.T.O.

I beg to submit that the Karkala Panchayat Board at its meeting held on 4.9.46 has by a resolution authorised the addressing of a communication to the Government requesting to accord sanction for the investigation of a scheme for giving protected water supply to the area under the jurisdiction of the Karkala Panchayat Board. I also submit herewith a copy of the board resolution number 140 dated 4.9.46.

P. M. Krishnaraj
Pr. ... ...ser, 16/9/46.
Panchayat Board Karkala, S.K

(Enclosures: one only)

Forwarded to the President District Board, South Kanara, Mangalore.

16/9/46

Secretary
President

Extract from the proceedings of the meeting of the Karkala Panchayat Board Karkala held on 4-9-46

Read the following:

140. Inspection notes R. F. No. 7 - 1312 dated 9-3-46 of the Deputy Inspector of Municipal Councils and Local Boards, Western Range, Coimbatore.

2) In the inspection notes the Deputy Inspector has suggested to the Board to address the Government for a protected Water Supply Scheme



3) In the inspection notes the Deputy Inspector suggested to the Board to under take a Comprehensive drainage Scheme after the execution of the Water Supply Scheme.

P.T.O.

4. To Resolve to address the Government to accord sanction for the investigation of the scheme of protected water supply to this town.

Resolution: Resolved to address the Government to accord sanction for the investigation of a scheme for giving a protected water supply to this town.

(Sd) D. Venkatesh Bhat
President
4-9-46.

(True Copy)

B. Balakrishnaraju 6/9/46.
Executive Officer,
Panchayat Board, K[illegible] S.K.

13/9/46

(Here enter Rc No 1138-46 dated 12-9-46 of the President, Panchayat Board, Karkala.)

DEPUTY SECRETARY TO GOVERNMENT
3 SEP 1946
EDUCATION DEPARTMENT

R Dis 16621/46

Forwarded to the Secretary to Government, Education and Public Health Department, Madras.

President
Dt Bd. S. Kanara.

24/9

58725

24-9-46

7/10/46

23/9

23/9/46

SECY
15 OCT 1946

Forwarded to the Executive Officer Panchayat Board Karkala for remarks as to whether the scheme is applicable to the Karkala Panchayat area or to the Karkala town and if for the latter, what is the Town population of the Panchayat



R. Dis. 1138/66 dated 9.12.66.

9/12/66
Date

The proposed water supply scheme is not applicable to the Karkala Panchayat area and the population of the Karkala panchayat area is above 11,000.

M Balakrishnaiah
Executive Officer 9/12/66

Statement of the Executive Officer, Panchayat Board Karkal recorded by the Revenue Inspector, Karkal dated 23.11.48

According to the last Census list the population of Karkal town is 9012. Since the date of last Census, the population has increased and it is not less than 10000 at present. Hence the protected water supply scheme may be applied to Karkal town. In this connection I wish to inform that there are natural facilities to apply for the working of the scheme. The Ramasamudra tank and the existence of a Electric power house in this town will minimise the initial expenses of the scheme. The scheme will bring income to the Panchayat Board also. I, therefore, suggest

that the Protected Water Supply Scheme may be applied to this town considering the above mentioned facts.

B Balakrishna Rai
Executive Officer 23/11/46

Read & noted & minutes recorded

28.11.46



Dis. DR. ... FISCAL

Resubmitted.

The statement of the Executive Officer recorded by me may be perused. The Executive Board wants that the Protected water Supply scheme should be applied to Kankesanturai town. But the scheme is not applicable as the population of the town is less than 10000. I, therefore, solicit instructions in the matter.

Recommended
29.11.46

L.DIS 7099/46

Taluk Office, Karkal,
Dated 15-12-1945.

To
The Collector of South Kanara,
through the Revenue Divisional Officer.
Coondapur division, Coondapur.

Sri B.Narayan Rao, B.A.,
Tahsildar of karkal taluk,

****

RURAL WATER SUPPLY - Karkal Panchayat Board- Provision of the protected water supply- investigation- Report submitted.

115411-46-B

Ref:- Collector's P.Ref 21- 11008-45 dated 29-10-1945.

The Executive Officer, Panchayat Board, karkal requests that the protected water supply scheme may be applied to karkal Panchayat area. The present population of karkal Panchayat area is above 11,000. Hence the protected water supply scheme is applicable.

There are natural facilities for the working of the Scheme. The existence of an Electrical Power house and the Ramasamudram Lake in the town will help for the introduction of the scheme. The scheme will be beneficial to the residents of the town and also bring income to the Panchayat Board. The sanction sought for by the Panchayat Board may, therefore, be accorded.

Enclosures pages 1 to 11.

For Tahsildar.
14/12/45

14/12

N.Dis. 11521-46

Submitted to the Collector of South Kanara.

2/ The Karkal Panchayat Board area is a unit having a population of over 10,000. There are also ~~educational~~ facilities for the working of the protected water supply scheme on account of the existence of the electric power house and the Ramasamudram lake.

S. Kolappa
Revenue Divisional Officer
17/12/46
16/12/46



Revenue Department.
Subject.

RURAL WATER SUPPLY - (South Kanara) Karkal Panchayat Board - Provision of protected water -Supply investigation - Remarks submitted.

***

B.P.Rt.1369/47.

Station: Madras. Dated 10-3-47.

From

C.A. Ramakrishnan Esq., I.C.S.,
Joint Secretary, Board of Revenue, Madras.

Sir Gerald Priestley K.C.I.E., I.C.S., Commissioner of Land Revenue and Irrigation.

20626

13/3

Not part u

Read:- From the Government Memo.No.58725-46-1.H(I.A) dated 11-10-46.
2. Letter from the Collector of South Kanara, No.1.Dis.C.11008-46 dated 11-1-47:-

---

Ref:-

(1) Board's Ref.V.10327/46 dated 22-10-46, and
(2) Coondapur Revenue Divisional Officer's report, N.Dis. 11541 dated 17-12-1946.

The present population of Karkal Panchayat Area is about 11,000. The protected water supply scheme may be made applicable to the ~~Panchayat~~ Board area.

2. There are natural facilities for the successful working of the scheme. The existence of the extensive Ramasamudram lake which is a perennial source of water supply andthe Electric Power House will facilitate the introduction of the scheme.

Read:- 3. Letter from the Collector of South Kanara, L.Dis.1672-47 dated 7-2-47.

Resolution:-

Submitted to the Government.

2. As the Collector reports that the present population of Karkal Panchayat is 11,000, the scheme for the provision of protected water supply to the Panchayat cannot be taken up under the Rural Water Supply Scheme. The Sanitary Engineer may be requested to investigate the question and include the Panchayat in the compendium relating to units having a population of 10,000 and above.

/ True Extract. /

For Joint Secretary.

To the Secretary to Government, Education and Public Health Department, with enclosures in original.

ADN.11.3.

13/3

Rc C.No 20626/47 from the Bd of Rev B.P.Rt 1369/47 dated 10.3.47

Sub: ~~Rural~~ Water Supply — Karkal Panchayat (South Kanara Dt) — Investigation of a ~~water supply~~ Scheme

memo 20626/47-1 Ch(PH) dt 3-4-47 read above

A Copy of the letter from the Board of Rev with enclosures thereto is forwarded to the C.E P.W.D (91 B&D) and the he is requested to examine the feasibility of taking up the investigation of a water supply scheme and also to state whether the scheme for the Karkal Panchayat and also to state whether the scheme may be included in the Compendium.

13

appended to G.O.55 PHD 7.1.46 as suggested by the Board of Rev:

29/3 Clea 29.3.47

To The CE PWD (91 Bdy) (with copies of ppts to Chief Executive Off: Karkal P.B. S. Kanara Bd of Rev.

Note: The remarks of the CE PWD (91 Bdy) may be called for in the first instance on the suggestions of the Board. Ref. The draft above for approval.

Dated with letter of CE PWD

13/W Clea 29.3.47

3.4.47

Office of the Chief Engineer, P.W.D.
General, Buildings & Defence.

Endorsement No. 1743 WPH/47-1 dated 25-6-1947.

Read the following:-

From the Sanitary Engineer to Government letter No. 4864/47-WS/13(1)P.W.S. dated 7th June 47 to the Chief Engineer, P.W.D. (General, Buildings & Defence).

Sub: Water Supply - Karkal Panchayat - South Kanara District - Investigation of a scheme.

Ref: Your Endorsement No. 1209-WPH/47-1 dated 3rd May 1947.

In the circumstances explained by the Executive Officer, Karkal Panchayat Board, and recommended by the District Collector, South Kanara, and the Board of Revenue, this station may be included in the Provincial Compendium appended to G.O. No. 55 dated 7-1-46 and assigned the 196th rank.

Copy submitted to Government with reference to Education & Public Health Department Memo No. 20626/47-1 Ml P.H. dated 3-4-47.

2. The Sanitary Engineer's recommendation may be accepted.

for Chief Engineer, P.W.D.

To
The Secretary to Government,
Education & Public Health Department.

LP/26-6

E+P.H(H1

From the Executive Off. Karkal Panchayat Rc 1138/46 d/12 9/46

From the Board of Rev B.P.R+ 1369/47 dated 10-3-47.

Endt of the C.E. P.W.D (91 B+D) no 1743 WPH/47-1 dated 25-6-47

Sub: ~~Rural~~ Water Supply - South Kanara Dt - Karkal Panchayat - ~~Inclusion~~ Inclusion in the Compendium = Orders passed.

Order/MS 3377 P.H dated 7.X W/

Karkal Panchayat (South Kanara Dt) which has a population of 10,000 and above is not included in the Compendium of ~~Provincial~~ ~~requirements of~~ Water Supply requirements of the Province issued with G.O 55 P.H dated 7-1-46. The Govt have since decided that pending the examination of the Water Supply and drainage Committee's report and a decision as to what should be done about the existing Compendium, the Karkal Panchayat ~~should~~ will be included in the ~~Provincial~~ Compendium of W. requirements appended to G.O 55 P.H dated 7-1-46 and be

(PTO)

assigned the 196th rank, (i.e.) the last place in the Compendium.

To
The Executive Offr
Karkal Panchayat
(South Kanara Dt)
Bd of Rev
CEPWD(H)
D.P.H
Gnsp
2 S/cs

Revenue Department
Subject.

Rural Water Supply - Comprehensive - Scheme (South Kanara) - Karkala - Panchayat Board - Memorandum for protected water supply - Remarks submitted

Madras. Bd's L.Dis.V.No.5466/50. Dated:-- 2-5-1950.

Sri N. C. Thomas, B.A.,
Joint Secretary, Board of Revenue.

Sri W. R. S. Sattianathan, I.C.S.,
Commissioner of Land Revenue.

Read:- Government Memorandum No.95820/49-1 W1., P.H., dated 14-12-1949.
From the Collector L.Dis.365/50, dated 26-4-1950.

11455

Ref:- 1) Board's L.Dis.No.V.14423/49, dated 3-1-1950.
2) Coondapur R.D.O's L.Dis.1938/50, dated 3-3-1950.
3) From the Executive Engineer, South Kanara Division No.1201M, dated 19-4-1950.

The Executive Engineer South Kanara Division, is of opinion that Malaria typhoid and dysentry etc., are not in an epidemic form in Karkal town and that the desire on the part of the residents for a protected water supply to the town is not so much by way of absolute necessity as for the reason that a resourceful tank 'RAMASAMUDRAM' is available near at hand, which they desire to make the best use of. A copy of his letter is enclosed.

I consider, therefore, that the matter may be dropped for the present as the benefits that are likely to be derived from the scheme are not commensurate with the financial commitments that are likely to be involved in the execution of the scheme.

***

L.DIS:—

Submitted to Government.

2. As the population of the Panchayat Board is stated to be in the neighbourhood of 20,000, the Board submits that the question of the need or otherwise for the provision of a protected water supply scheme to the Panchayat will have to be investigated by the Sanitary Engineer.

for Joint Secretary.

To The Secretary to Government, Health Department, Madras.
(with enclosures).

rm.4/5.

***

Copy of letter No.120 M, dated 19-4-1950 from the Executive Engineer Mangalore to the Collector of South Kanara.

Ref:- Your No.Ref.365/50-B1, dated 21-3-1950 and your reminder No.I, dated 7-4-1950.

Karkala is a panchayat with a population of about 20 thousand inhabitants. It is an inland town and water in the wells is available within 30 to 40 ft. There are traces of malaria, typhoid, Dysentery etc., occuring at times but not in an epidemic form.

The desire on the part of the residents for a protected water supply to the towns is not so much by way of absolute necessity as for the reason that a resourceful tank 'Ramasamudram' is available near at

P.T.O.

near at hand which they desire to make the best use of.

For one thing the water spread covers onver granite sheet rock, and there is a belief locally such heated water is the dry season may cause malaria. Secondly the quality of the water has not yet been tested. If a water scheme is designed, a collection well with bed of the tank will be necessary.

At the prevailing highcost of materials, any scheme even in a skeleton sum will cost about six to eight lakhs of rupees. The suitability of water available the approximate estimate will have to be examined and workout by the sanitory engineer to Government.

In view of the present financial stringency, there is no prospect of the Government accepting the scheme for the same years to come, particularly when the policy of the Government is to take up such works where it is most needed and that too in a municipality in the first turn.

As such I consider that the Karkala water supply scheme is not one calling for any early priority.

***

TRUE COPY.

for Joint Secretary.

rm.4/5.

Health (W)

Please see the letter from the Board of Revenue and its enclosures above. With reference to Para 2 of Bd's letter at p 1 ante it is submitted that the water supply scheme of the Karkal Panchayat has been included in the Compendium and it has been assigned the 196th rank. The Scheme will be taken up in its turn. No action is necessary on this current and it may be added to G.O 3377, P.H.(d) 7-10-47

T/p 164
G.O. 3377 P.H.
7-10-47

11.5.50

F no 20626/47 — From the Executive Offr Karkal Panchayat Rc 1138/H6 dated 12-9-46
p 1 cf — From the Board of Revenue B.P.R.t 1369/47 dated 10-5-47
pp 12-13 cf — Govt Memo 20626/47-1 H1 (P.H) dated 3-4-47.
Fc. no 53387/47 — Endt of the C.E PWD (91 B&D) no 1743 W/PH/47-1 dated 25/6/47

Sub: Rural Water Supply - South Kanara Dt - Karkal Panchayat - Investigation of a Scheme.

p 1 cf — The Executive Offr of the Karkal Panchayat Board has submitted a copy of the Board's resolution requesting Govt to take up the investigation of a water supply scheme for the Panchayat. The population of the Panchayat (according to 1941 Census) is only 9,012, but it is reported that the present population will be about 11,000. The Collector of South Kanara in his
p 4 cf — letter to the Board of Revenue has reported that this scheme may be made applicable to the Panchayat Board, as there are natural facilities for the successful working of the scheme. He also states that the existence of the extensive Ramasamudram lake which is a perennial source of water supply and the electric Power House will facilitate the introduction of the scheme. The Board
p 11 cf — of Revenue while forwarding the reply of the Collr has recommended that as the population of the village is
p 11 cf — above 10,000 it may be included in the Compendium of Provincial Schemes and the scheme investigated by the Sanitary Engineer.
pp 12-13 cf — The remarks of the C.E PWD (91 B&D) were called for on the Board's recommendations. The Sanitary Engr has
p 14 cf — suggested that this station may be assigned the 196th rank in the Compendium appended to G.O 555 P.H
p 14 cf — dated 7th Jany '46. The Chief Engr also agrees with the
For orders whether the recommendations of the Sany Engr & CE PWD may be accepted and orders issued accordingly. H.M (P.H) may see the case for orders.

2-7-47 — 3-7-47

The circumstances of the case have to be taken into consideration in fixing the place in the compendium. The S.E should be moved if sufficient staff for doing the work. The report of the committee may be awaited.

4/7

SECRETARY, EDN. AND P.H. DEPTT. 05 JUL 1947 GOVERNMENT OF MADRAS

JOINT SECRETARY TO GOVERNMENT 5 JUL 1947 EDUCATION AND PUBLIC HEALTH

Pl see the note overleaf. The report of the W.S.Ed. Committee has not yet been received. This may therefore lie over till 25-9-47 ✓

Since received and kept in taffal permit

L.o till 17/9/47

5/9/47

The report of the W.S.Ed Committee has been received. The Committee has recommended the constitution of district water and drainage committees to go into the question of examing the schemes of Panchayat boards and other rural areas. It will take time to pass final orders on the various recommendations of the Committee. For orders whether this file may lie over till final orders are issued on the report of H.M.C.P.H) may kindly see the case for orders - vide minute on the previous page.

May lo.

25/9

23.9.47

28/9

25/9/47

What is the place assigned to Karkal in the priority list as revised by the Water Supply committee? 25/9 HM (PH)

25/9

No list of priority has been drawn up by the Committee in respect of panchayat and rural schemes for constitution of district committees to go into the question of priority of more schemes may been recommended by the Committee. Thus no specific rank has been assigned by the committee for the proposed scheme at Karkal panchayat. The case may be recirculated to HM(PH)

SECRETARY, EDN. AND P. H. DEPTT.
26 SEP 1947
GOVERNMENT OF MADRAS

JOINT SECRETARY TO GOVT.
26 SEP 1947
EDUCATIONAL AND PUBLIC HEALTH DEPTT.

Reading the fall in the expenditure of the Committee, refer and a decision as to what should be done about the existing Compendium 'A' and Circular P.W. may be approved.

11/10

8-OCT 1947
GOVERNMENT OF MADRAS

3-OCT 1947
EDUCATION AND PUBLIC HEALTH DEPARTMENT

26/9/47

3/10 HM (PH)

The notes on p 2 ante may be perused. A draft order is submitted for approval. (A Copy of the order will be added to the orgl of the Compendium).

Since added

4-10-47